



# Pratiques optimales de l'AVC au Canada

## RECOMMANDATIONS CANADIENNES POUR LES PRATIQUES OPTIMALES DE SOINS DE L'AVC

### Systèmes de soins de l'AVC

Septième édition, 2026

#### Annexe IV : Références

*Hunter G, Arsenault S (coprésidents du groupe de rédaction)  
au nom du comité consultatif des Recommandations canadiennes pour les  
pratiques optimales de soins de l'AVC, en collaboration avec le Consortium  
Neurovasculaire Canadien, la plateforme CanStroke Essais post-AVC et la  
Fédération des sciences neurologiques du Canada*

© Fondation des maladies du cœur et de l'AVC du Canada, 2026.

## RÉFÉRENCES

1. Nelson MLA, Hanna E, Hall S, Calvert M. What makes stroke rehabilitation patients complex? Clinician perspectives and the role of discharge pressure. *J Comorb.* 2016;6:35-41.
2. Holodinsky JK, Lindsay P, Yu AYZ, Ganesh A, Joundi RA, Hill MD. Estimating the number of hospital or emergency department presentations for stroke in Canada. *Can J Neurol Sci.* 2023;50:820-825.
3. Health Canada. Canadian Chronic Disease Surveillance System (CCDSS). 2024. Available at: <https://health-infobase.canada.ca/ccdss/data-tool/index>. (Accessed July 16, 2025)
4. Ganesh A, Lindsay P, Fang J, Kapral MK, Côté R, Joiner I, et al. Integrated systems of stroke care and reduction in 30-day mortality: A retrospective analysis. *Neurology.* 2016;86:898-904.
5. Swartz RH, Longman RS, Smith EE, Mountain A, Lindsay MP, Lund R, et al. Canadian Stroke Best Practice Recommendations. Vascular cognitive impairment. 7<sup>th</sup> edition. 2024
6. Gladstone DJ, Lindsay MP, Douketis J, Smith EE, Dowlatshahi D, Wein T, et al. The Canadian Stroke Best Practice Recommendations. Secondary prevention. 7<sup>th</sup> edition. 2021
7. Heran M, Lindsay MP, Gubitz G, Yu AYZ, Ganesh A, Lund R, et al. The Canadian Stroke Best Practice Recommendations. Acute stroke management. 7<sup>th</sup> edition. 2022
8. Nelson MLA, Shi J, Lindsay MP, Salbach N, Yao J, Timpson D, et al. Canadian Stroke Best Practice Recommendations: Rehabilitation, recovery and community participation following stroke. Part one: Stroke rehabilitation planning for optimal care delivery, 7<sup>th</sup> edition *Am J Phys Med Rehabil.* In press
9. Yao J, Salbach N, Lindsay MP, Nelson MLA, Shi J, Mountain A, et al. The Canadian Stroke Best Practice Recommendations. Rehabilitation, recovery and community participation following stroke. Part three: Optimizing activity and community participation following stroke. 7<sup>th</sup> edition. *Am J Phys Med Rehabil.* Accepted for publication
10. Shoamanesh A, Lindsay MP, Castellucci L, Cayley A, Crowther M, deWit K, et al. The Canadian Stroke Best Practice Recommendations. Intracerebral hemorrhage. 7<sup>th</sup> edition. 2020
11. Field TS, Lindsay MP, Wein T, Debicki D, Gorman J, Heran M, et al. Canadian Stroke Best Practice Recommendations. Cerebral venous thrombosis. 7<sup>th</sup> edition. 2024
12. Stokols D. Translating social ecological theory into guidelines for community health promotion. *Am J Health Promot.* 1996;10:282-298.
13. Anderson S, Whitfield K. An ecological approach to activity after stroke: It takes a community. *Top Stroke Rehabil.* 2011;18:509-524.
14. Haggerty JL, Reid RJ, Freeman GK, Starfield BH, Adair CE, McKendry R. Continuity of care: A multidisciplinary review. *BMJ.* 2003;327:1219-1221.

15. The Australian Commission on Safety and Quality in Health Care. Essential elements for safe and high-quality end-of-life care. National consensus statement. 2023. Available at: [https://www.safetyandquality.gov.au/sites/default/files/2023-12/national\\_consensus\\_statement\\_-\\_essential\\_elements\\_for\\_safe\\_and\\_high-quality\\_end-of-life\\_care.pdf](https://www.safetyandquality.gov.au/sites/default/files/2023-12/national_consensus_statement_-_essential_elements_for_safe_and_high-quality_end-of-life_care.pdf). (Accessed July 17, 2025)
16. Lennox-Chhugani N, Alvarez-Rosete A, Aldasoro E, Gil-Salmeron A. Promoting integrated care across the world. International Foundation for Integrated Care annual survey. 2022. Available at: <https://integratedcarefoundation.org/wp-content/uploads/2022/10/IFIC3692-Annual-Survey-2022-A4-v262367.pdf>. (Accessed July 4, 2025)
17. Canadian Stroke Best Practices. Canadian Stroke Best Practice Recommendations. Overview of methodology 7<sup>th</sup> edition 2019-2023. Available at: <https://www.strokebestpractices.ca/recommendations/overview-methods-and-knowledge-translation>. (Accessed March 3, 2025)
18. Brouwers MC, Kho ME, Browman GP, Burgers JS, Cluzeau F, Feder G, et al. Agree ii: Advancing guideline development, reporting and evaluation in health care. *CMAJ*. 2010;182:E839-842.
19. Guyatt G, Oxman AD, Akl EA, Kunz R, Vist G, Brozek J, et al. Grade guidelines: 1. Introduction-grade evidence profiles and summary of findings tables. *J Clin Epidemiol*. 2011;64:383-394.
20. Guyatt GH, Oxman AD, Kunz R, Vist GE, Falck-Ytter Y, Schünemann HJ. What is "quality of evidence" and why is it important to clinicians? *BMJ*. 2008;336:995-998.
21. Guyatt GH, Oxman AD, Vist GE, Kunz R, Falck-Ytter Y, Alonso-Coello P, et al. Grade: An emerging consensus on rating quality of evidence and strength of recommendations. *BMJ*. 2008;336:924-926.
22. Schünemann H BJ, Guyatt G, Oxman A, editors. Grade handbook for grading quality of evidence and strength of recommendations. 2013. Available at: <https://guidelinedevelopment.org/handbook>. (Accessed March 3, 2025)
23. Feigin VL, Nguyen G, Cercy K, Johnson CO, Alam T, Parmar PG, et al. Global, regional, and country-specific lifetime risks of stroke, 1990 and 2016. *N Engl J Med*. 2018;379:2429-2437.
24. Cheng Y, Lin Y, Shi H, Cheng M, Zhang B, Liu X, et al. Projections of the stroke burden at the global, regional, and national levels up to 2050 based on the global burden of disease study 2021. *J Am Heart Assoc*. 2024;13:e036142.
25. Eustace I, Buckley BJR, Kaya I, Hoad KL, France-Ratcliffe M, Hill AM, et al. Integrated care management for patients following acute stroke: A systematic review. *QJM*. 2025;118:317-328.
26. Liu B, Cai J, Zhou L. Effectiveness of integrated care models for stroke patients: A systematic review and meta-analysis. *J Nurs Scholarsh*. 2025;57:266-297.
27. World Stroke Organization. Heart & Stroke Foundation Canada celebrate 10 years of fast awareness. 2024. Available at: <https://www.world-stroke.org/news-and-blog/blogs/stroke-awareness-month-canada>. (Accessed July 14, 2025)

28. Hill ME, Bodnar P, Fenton R, Mason B, Bandoh G. Teach our children: Stroke education for indigenous children, first nations, Ontario, Canada, 2009–2012. *Prev Chronic Dis*. 2017;14:E68.
29. Stiell IG, Clement CM, Campbell K, Sharma M, Socha D, Sivilotti ML, et al. Impact of expanding the prehospital stroke bypass time window in a large geographic region. *Stroke*. 2017;48:624-630.
30. Pérez de la Ossa N, Abilleira S, Jovin TG, García-Tornel Á, Jimenez X, Urrea X, et al. Effect of direct transportation to thrombectomy-capable center vs local stroke center on neurological outcomes in patients with suspected large-vessel occlusion stroke in nonurban areas: The racecat randomized clinical trial. *JAMA*. 2022;327:1782-1794.
31. Mohamed A, Fatima N, Shuaib A, Saqqur M. Comparison of mothership versus drip-and-ship models in treating patients with acute ischemic stroke: A systematic review and meta-analysis. *Int J Stroke*. 2022;17:141-154.
32. Rethnam V, Langhorne P, Churilov L, Hayward KS, Herisson F, Poletto SR, et al. Early mobilisation post-stroke: A systematic review and meta-analysis of individual participant data. *Disabil Rehabil*. 2022;44:1156-1163.
33. Teasell R, Salbach NM, Foley N, Mountain A, Cameron JI, Jong A, et al. Canadian Stroke Best Practice Recommendations: Rehabilitation, Recovery, and Community Participation following Stroke. Part one: Rehabilitation and recovery following stroke; 6th edition update 2019. *Int J Stroke*. 2020;15:763-788.
34. Mountain A, Patrice Lindsay M, Teasell R, Salbach NM, de Jong A, Foley N, et al. Canadian Stroke Best Practice Recommendations: Rehabilitation, Recovery, and Community Participation following Stroke. Part two: Transitions and community participation following stroke. *Int J Stroke*. 2020;15:789-806.
35. Valls J, Peiro-Chamarro M, Cambray S, Molina-Seguin J, Benabdelhak I, Purroy F. A current estimation of the early risk of stroke after transient ischemic attack: A systematic review and meta-analysis of recent intervention studies. *Cerebrovasc Dis*. 2017;43:90-98.
36. Wu CM, McLaughlin K, Lorenzetti DL, Hill MD, Manns BJ, Ghali WA. Early risk of stroke after transient ischemic attack: A systematic review and meta-analysis. *Arch Intern Med*. 2007;167:2417-2422.
37. Wang R, Kapoor A, Lindsay P, Goia C, Yu A YX, Gladstone DJ, et al. Reduction in stroke after transient ischemic attack in a province-wide cohort between 2003 and 2015. *Can J Neurol Sci*. 2021;48:335-343.
38. Jeerakathil TJ, Yu A YX, Choi PMC, Fang S, Shuaib A, Majumdar SR, et al. Effects of a province-wide triaging system for TIA: The aspire intervention. *Neurology*. 2023;100:e2093-e2102.
39. Jewett L, Harroud A, Hill MD, Côté R, Wein T, Smith EE, et al. Secondary stroke prevention services in Canada: A cross-sectional survey and geospatial analysis of resources, capacity and geographic access. *CMAJ Open*. 2018;6:E95-e102.

40. Skolarus LE, Brown DL, Reynolds E, Shi Y, Volow AM, Burke JF, et al. Advance care planning engagement May increase among stroke survivors: Results from the prepare for your care trial. *Stroke*. 2022;53:e477-e478.
41. Skolarus LE, Robles MC, Mansour M, Sudore RL, Reynolds EL, Burke JF, et al. Low engagement of advance care planning among patients who had a stroke or transient ischemic attack. *J Am Heart Assoc*. 2022;11:e024436.
42. Lank RJ, Shafie-Khorassani F, Zhang X, Ortiz C, Kim S, Case E, et al. Advance care planning and transitions to comfort measures after stroke. *J Palliat Med*. 2021;24:1191-1196.
43. Canadian Cancer Society. Analyzing hospice palliative care across Canada. A report on federal, provincial, territorial and community actions. 2023. Available at: <https://cancer.ca/-/media/files/about-us/media-releases/2023/palliative-care-report/adv23163palliative-care-report85x11en04.pdf>. (Accessed July 14, 2025)
44. Health Canada. Action plan on palliative care. Building on the framework on palliative care in Canada. 2019. Available at: <https://www.canada.ca/content/dam/hc-sc/documents/services/health-care-system/reports-publications/palliative-care/action-plan-palliative-care/action-plan-palliative-care-eng.pdf>. (Accessed July 14, 2025)
45. Health Canada. The framework on palliative care in Canada— five years later. A report on the state of palliative care in Canada. 2023. Available at: <https://www.canada.ca/content/dam/hc-sc/documents/services/publications/health-system-services/framework-palliative-care-five-years-later/final-pdf-english-report-to-parliament-palliative-care.pdf>. (Accessed July 14, 2025)
46. Peters SAE, Carcel C, Millett ERC, Woodward M. Sex differences in the association between major risk factors and the risk of stroke in the UK biobank cohort study. *Neurology*. 2020;95:e2715-e2726.
47. Appelros P, Stegmayr B, Terént A. Sex differences in stroke epidemiology: A systematic review. *Stroke*. 2009;40:1082-1090.
48. Cordonnier C, Sprigg N, Sandset EC, Pavlovic A, Sunnerhagen KS, Caso V, et al. Stroke in women - from evidence to inequalities. *Nat Rev Neurol*. 2017;13:521-532.
49. Bushnell C, Howard VJ, Lisabeth L, Caso V, Gall S, Kleindorfer D, et al. Sex differences in the evaluation and treatment of acute ischaemic stroke. *Lancet Neurol*. 2018;17:641-650.
50. Carcel C, Harris K, Peters SAE, Sandset EC, Balicki G, Bushnell CD, et al. Representation of women in stroke clinical trials: A review of 281 trials involving more than 500,000 participants. *Neurology*. 2021;97:e1768-e1774.
51. Statistics Canada. Table: 13-10-0394-01. Leading causes of death, total population, by age group. 2025. Available at: <https://www150.statcan.gc.ca/t1/tbl1/en/tv.action?pid=1310039401>. (Accessed August 29, 2025)
52. Xu M, Amarilla Vallejo A, Cantalapiedra Calvete C, Rudd A, Wolfe C, O'Connell MDL, et al. Stroke outcomes in women: A population-based cohort study. *Stroke*. 2022;53:3072-3081.

53. Bushnell CD, Reeves MJ, Zhao X, Pan W, Prvu-Bettger J, Zimmer L, et al. Sex differences in quality of life after ischemic stroke. *Neurology*. 2014;82:922-931.
54. Gall S, Phan H, Madsen TE, Reeves M, Rist P, Jimenez M, et al. Focused update of sex differences in patient reported outcome measures after stroke. *Stroke*. 2018;49:531-535.
55. Saver JL. Time is brain--quantified. *Stroke*. 2006;37:263-266.
56. Lundelin K, Graciani A, García-Puig J, Guallar-Castillón P, Taboada JM, Rodríguez-Artalejo F, et al. Knowledge of stroke warning symptoms and intended action in response to stroke in Spain: A nationwide population-based study. *Cerebrovasc Dis*. 2012;34:161-168.
57. Mochari-Greenberger H, Towfighi A, Mosca L. National women's knowledge of stroke warning signs, overall and by race/ethnic group. *Stroke*. 2014;45:1180-1182.
58. Metias MM, Eisenberg N, Clemente MD, Wooster EM, Dueck AD, Wooster DL, et al. Public health campaigns and their effect on stroke knowledge in a high-risk urban population: A five-year study. *Vascular*. 2017;25:497-503.
59. Naguib R, Fayed A, AlFadhliyah AB, AlMansour NS, AlDakheel RM, AlQahtani RM. Awareness about stroke and proper actions to be taken; a room for improvement. *J Stroke Cerebrovasc Dis*. 2020;29:104794.
60. Krishnamurthi RV, Barker-Collo S, Barber PA, Tippet L, Dalrymple-Alford JC, Tunnage B, et al. Community knowledge and awareness of stroke in New Zealand. *J Stroke Cerebrovasc Dis*. 2020;29:104589.
61. Dharmasaroja P, Uransilp N. Stroke awareness and knowledge in the at-risk population: A community-based study. *Cureus*. 2024;16:e57756.
62. Wolters FJ, Li L, Gutnikov SA, Mehta Z, Rothwell PM. Medical attention seeking after transient ischemic attack and minor stroke before and after the UK face, arm, speech, time (fast) public education campaign: Results from the Oxford vascular study. *JAMA Neurol*. 2018;75:1225-1233.
63. Nordanstig A, Asplund K, Norrving B, Wahlgren N, Wester P, Rosengren L. Impact of the Swedish national stroke campaign on stroke awareness. *Acta Neurol Scand*. 2017;136:345-351.
64. Bray JE, Johnson R, Trobbiani K, Mosley I, Lalor E, Cadilhac D. Australian public's awareness of stroke warning signs improves after national multimedia campaigns. *Stroke*. 2013;44:3540-3543.
65. Bray JE, Straney L, Barger B, Finn J. Effect of public awareness campaigns on calls to ambulance across Australia. *Stroke*. 2015;46:1377-1380.
66. Trobbiani K, Freeman K, Arango M, Lalor E, Jenkinson D, Thrift AG. Comparison of stroke warning sign campaigns in Australia, England, and Canada. *Int J Stroke*. 2013;8 Suppl A100:28-31.

67. Rioux B, Brissette V, Marin FF, Lindsay P, Keezer MR, Poppe AY. The impact of stroke public awareness campaigns differs between sociodemographic groups. *Can J Neurol Sci.* 2022;49:231-238.
68. Hickey A, Mellon L, Williams D, Shelley E, Conroy RM. Does stroke health promotion increase awareness of appropriate behavioural response? Impact of the face, arm, speech and time (fast) campaign on population knowledge of stroke risk factors, warning signs and emergency response. *Eur Stroke J.* 2018;3:117-125.
69. Darkhabani MZ, Homa-Bonell JK, Thoreson L, Bobholz JA, Spaulding D, Engebose M. Be fast versus fast: A randomized pilot trial comparing retention of stroke symptoms between 2 mnemonics. *J Am Heart Assoc.* 2024;13:e035696.
70. Tan J, Ramazanu S, Liaw SY, Chua WL. Effectiveness of public education campaigns for stroke symptom recognition and response in non-elderly adults: A systematic review and meta-analysis. *J Stroke Cerebrovasc Dis.* 2022;31:106207.
71. Advani R, Naess H, Kurz M. Mass media intervention in western norway aimed at improving public recognition of stroke, emergency response, and acute treatment. *J Stroke Cerebrovasc Dis.* 2016;25:1467-1472.
72. Stroebele N, Müller-Riemenschneider F, Nolte CH, Müller-Nordhorn J, Bockelbrink A, Willich SN. Knowledge of risk factors, and warning signs of stroke: A systematic review from a gender perspective. *Int J Stroke.* 2011;6:60-66.
73. Marx JJ, Klawitter B, Faldum A, Eicke BM, Haertle B, Dieterich M, et al. Gender-specific differences in stroke knowledge, stroke risk perception and the effects of an educational multimedia campaign. *J Neurol.* 2010;257:367-374.
74. Hodgson C, Lindsay P, Rubini F. Can mass media influence emergency department visits for stroke? *Stroke.* 2007;38:2115-2122.
75. The Canadian Stroke Best Practice Recommendations. Virtual stroke care implementation toolkit. 7<sup>th</sup> edition. 2022. Available at: <https://www.strokebestpractices.ca/-/media/1-stroke-best-practices/csbr-virtual-stroke-toolkit-final.pdf?rev=e545b3d0a8394ca18586090a74cdcf49>. (Accessed July 20, 2025)
76. Salbach N, Yao J, Lindsay MP, Nelson MLA, Shi J, O'Connell C, et al. Canadian Stroke Best Practice Recommendations. Rehabilitation, recovery and community participation following stroke, part two: Delivery of stroke rehabilitation to optimize functional recovery, 7<sup>th</sup> edition update 2025. *Am J Phys Med Rehabil.* Accepted for publication
77. Broderick JP, Abir M. Transitions of care for stroke patients: Opportunities to improve outcomes. *Circ Cardiovasc Qual Outcomes.* 2015;8:S190-192.
78. Johnson KH, Gardener H, Gutierrez C, Marulanda E, Campo-Bustillo I, Gordon Perue G, et al. The effect of 30-day adequate transitions of acute stroke care on 90-day readmission or death. *J Stroke Cerebrovasc Dis.* 2024;33:107842.

79. Dong C, Gardener H, Rundek T, Marulanda E, Gutierrez CM, Campo-Bustillo I, et al. Factors and behaviors related to successful transition of care after hospitalization for ischemic stroke. *Stroke*. 2023;54:468-475.
80. Gonçalves-Bradley DC, Lannin NA, Clemson L, Cameron ID, Shepperd S. Discharge planning from hospital. *Cochrane Database Syst Rev*. 2022;2:Cd000313.
81. Sulch D, Perez I, Melbourn A, Kalra L. Randomized controlled trial of integrated (managed) care pathway for stroke rehabilitation. *Stroke*. 2000;31:1929-1934.
82. Markle-Reid M, Fisher K, Walker KM, Beauchamp M, Cameron JI, Dayler D, et al. The stroke transitional care intervention for older adults with stroke and multimorbidity: A multisite pragmatic randomized controlled trial. *BMC Geriatr*. 2023;23:687.
83. O'Callaghan G, Fahy M, Murphy P, Langhorne P, Galvin R, Horgan F. Effectiveness of interventions to support the transition home after acute stroke: A systematic review and meta-analysis. *BMC Health Serv Res*. 2022;22:1095.
84. Snow V, Beck D, Budnitz T, Miller DC, Potter J, Wears RL, et al. Transitions of care consensus policy statement: American College of physicians, Society of general internal medicine, Society of hospital medicine, American Geriatrics Society, American College of emergency physicians, and Society for academic emergency medicine. *J Hosp Med*. 2009;4:364-370.
85. Mitchell GK, Brown RM, Erikssen L, Tieman JJ. Multidisciplinary care planning in the primary care management of completed stroke: A systematic review. *BMC Fam Pract*. 2008;9:44.
86. Kattel S, Manning DM, Erwin PJ, Wood H, Kashiwagi DT, Murad MH. Information transfer at hospital discharge: A systematic review. *J Patient Saf*. 2020;16:e25-e33.
87. Mitchell JP. Association of provider communication and discharge instructions on lower readmissions. *J Healthc Qual*. 2015;37:33-40.
88. Kripalani S, LeFevre F, Phillips CO, Williams MV, Basaviah P, Baker DW. Deficits in communication and information transfer between hospital-based and primary care physicians: Implications for patient safety and continuity of care. *JAMA*. 2007;297:831-841.
89. Halasyamani L, Kripalani S, Coleman E, Schnipper J, van Walraven C, Nagamine J, et al. Transition of care for hospitalized elderly patients--development of a discharge checklist for hospitalists. *J Hosp Med*. 2006;1:354-360.
90. Etherington C, Kitto S, Burns JK, Adams TL, Birze A, Britton M, et al. How gender shapes interprofessional teamwork in the operating room: A qualitative secondary analysis. *BMC Health Serv Res*. 2021;21:1357.
91. Canadian Stroke Best Practices. Virtual care decision framework. 2021. Available at: <https://www.strokebestpractices.ca/-/media/1-stroke-best-practices/csbp-f20-virtualcaredecisionframework-en.pdf?rev=9db7990386364a1b8253401c0313d634>. (Accessed July 20, 2025)

92. Wilcock AD, Schwamm LH, Zubizarreta JR, Zachrison KS, Uscher-Pines L, Richard JV, et al. Reperfusion treatment and stroke outcomes in hospitals with telestroke capacity. *JAMA Neurol.* 2021;78:527-535.
93. Mohamed A, Elsherif S, Legere B, Fatima N, Shuaib A, Saqqur M. Is telestroke more effective than conventional treatment for acute ischemic stroke? A systematic review and meta-analysis of patient outcomes and thrombolysis rates. *Int J Stroke.* 2024;19:280-292.
94. Porter J, Hall RE, Kapral MK, Fang J, Khan F, Silver FL. Outcomes following telestroke-assisted thrombolysis for stroke in Ontario, Canada. *J Telemed Telecare.* 2018;24:492-499.
95. Ho W, Fawcett AP. Outcomes in patients with acute stroke treated at a comprehensive stroke center using telemedicine versus in-person assessments. *J Telemed Telecare.* 2024;30:1487-1492.
96. Hao J, Pu Y, Chen Z, Siu KC. Effects of virtual reality-based telerehabilitation for stroke patients: A systematic review and meta-analysis of randomized controlled trials. *J Stroke Cerebrovasc Dis.* 2023;32:106960.
97. Laver KE, Adey-Wakeling Z, Crotty M, Lannin NA, George S, Sherrington C. Telerehabilitation services for stroke. *Cochrane Database Syst Rev.* 2020;1:Cd010255.
98. Appleby E, Gill ST, Hayes LK, Walker TL, Walsh M, Kumar S. Effectiveness of telerehabilitation in the management of adults with stroke: A systematic review. *PLoS One.* 2019;14:e0225150.
99. Sarfo FS, Ulasavets U, Opare-Sem OK, Ovbiagele B. Tele-rehabilitation after stroke: An updated systematic review of the literature. *J Stroke Cerebrovasc Dis.* 2018;27:2306-2318.
100. Tchero H, Tabue Teguo M, Lannuzel A, Rusch E. Telerehabilitation for stroke survivors: Systematic review and meta-analysis. *J Med Internet Res.* 2018;20:e10867.
101. Chen J, Jin W, Zhang XX, Xu W, Liu XN, Ren CC. Telerehabilitation approaches for stroke patients: Systematic review and meta-analysis of randomized controlled trials. *J Stroke Cerebrovasc Dis.* 2015;24:2660-2668.
102. Knepley KD, Mao JZ, Wieczorek P, Okoye FO, Jain AP, Harel NY. Impact of telerehabilitation for stroke-related deficits. *Telemed J E Health.* 2021;27:239-246.
103. Asano M, Tai BC, Yeo FY, Yen SC, Tay A, Ng YS, et al. Home-based tele-rehabilitation presents comparable positive impact on self-reported functional outcomes as usual care: The singapore tele-technology aided rehabilitation in stroke (stars) randomised controlled trial. *J Telemed Telecare.* 2021;27:231-238.
104. Saywell NL, Vandal AC, Mudge S, Hale L, Brown P, Feigin V, et al. Telerehabilitation after stroke using readily available technology: A randomized controlled trial. *Neurorehabil Neural Repair.* 2021;35:88-97.
105. Chen J, Sun D, Zhang S, Shi Y, Qiao F, Zhou Y, et al. Effects of home-based telerehabilitation in patients with stroke: A randomized controlled trial. *Neurology.* 2020;95:e2318-e2330.

106. Yang CL, Waterson S, Eng JJ. Implementation and evaluation of the virtual graded repetitive arm supplementary program (grasp) for individuals with stroke during the covid-19 pandemic and beyond. *Phys Ther.* 2021;101
107. Peters S, Botero M, Evers A, Fong B, Jakab B, Petter E, et al. Development and feasibility of a modified Fugl-Meyer lower extremity assessment for telerehabilitation: A pilot study. *Pilot Feasibility Stud.* 2021;7:121.
108. Gillespie D, MacLellan C, Ferguson-Pell M, Taeger A, Manns PJ. Balancing access with technology: Comparing in-person and telerehabilitation berg balance scale scores among stroke survivors. *Physiother Can.* 2021;73:276-285.
109. Amano S, Umeji A, Uchita A, Hashimoto Y, Takebayashi T, Kanata Y, et al. Reliability of remote evaluation for the Fugl-Meyer assessment and the action research arm test in hemiparetic patients after stroke. *Top Stroke Rehabil.* 2018;25:432-437.
110. Liang Q, Tao Y, He J, Bo Y, Xu L, Zhao F. Effects of home-based telemedicine and mhealth interventions on blood pressure in stroke patients: A systematic evaluation and meta-analysis of randomized controlled trials. *J Stroke Cerebrovasc Dis.* 2024;33:107928.
111. SPRINT INDIA Trial Collaborators. Secondary prevention with a structured semi-interactive stroke prevention package in india (sprint india): A multicentre, randomised controlled trial. *Lancet Glob Health.* 2023;11:e425-e435.
112. Deng L, Wu Q, Ding F, Liu Y, Shen J, Lin Y, et al. The effect of telemedicine on secondary prevention of atherosclerotic cardiovascular disease: A systematic review and meta-analysis. *Front Cardiovasc Med.* 2022;9:1020744.
113. Jaén-Extremera J, Afanador-Restrepo DF, Rivas-Campo Y, Gómez-Rodas A, Aibar-Almazán A, Hita-Contreras F, et al. Effectiveness of telemedicine for reducing cardiovascular risk: A systematic review and meta-analysis. *J Clin Med.* 2023;12
114. Salisbury C, O'Cathain A, Thomas C, Edwards L, Gaunt D, Dixon P, et al. Telehealth for patients at high risk of cardiovascular disease: Pragmatic randomised controlled trial. *BMJ.* 2016;353:i2647.
115. Widmer RJ, Collins NM, Collins CS, West CP, Lerman LO, Lerman A. Digital health interventions for the prevention of cardiovascular disease: A systematic review and meta-analysis. *Mayo Clin Proc.* 2015;90:469-480.
116. Pérez-Sánchez S, Barragán-Prieto A, Loscertales JB, Cabezas Rodríguez JA, Zapata-Arriaza E, Amaya Pascasio L, et al. Closing the sex-based differences in stroke care: Insights from a large telestroke network on treatment and postacute management. *Health Equity.* 2024;8:301-306.
117. Morton J, Boyd K, Anderson E, Hallock J. Sex differences in the delivery of stroke care via telemedicine in a large national telestroke practice (s6. 003). *Neurology.* 2022;98:2153.
118. Hoffmann T, Cochrane T. What education do stroke patients receive in Australian hospitals? *Patient Educ Couns.* 2009;77:187-191.

119. Johnson B, Handler D, Urrutia V, Alexandrov AW. Retention of stroke education provided during hospitalization: Does provision of required education increase stroke knowledge? *Interv Neurol*. 2018;7:471-478.
120. Helbach J, Hoffmann F, Hecht N, Heesen C, Thomalla G, Wilfling D, et al. Information needs of people who have suffered a stroke or TIA and their preferred approaches of receiving health information: A scoping review. *Eur Stroke J*. 2025;10:5-21.
121. Fryer CE, Luker JA, McDonnell MN, Hillier SL. Self management programmes for quality of life in people with stroke. *Cochrane Database Syst Rev*. 2016;2016:Cd010442.
122. Chen L, Chen Y, Chen X, Shen X, Wang Q, Sun C. Longitudinal study of effectiveness of a patient-centered self-management empowerment intervention during pre-discharge planning on stroke survivors. *Worldviews Evid Based Nurs*. 2018;15:197-205.
123. Lo SHS, Chang AM, Chau JPC. Stroke self-management support improves survivors' self-efficacy and outcome expectation of self-management behaviors. *Stroke*. 2018;49:758-760.
124. Lennon S, McKenna S, Jones F. Self-management programmes for people post stroke: A systematic review. *Clin Rehabil*. 2013;27:867-878.
125. Crocker TF, Brown L, Lam N, Wray F, Knapp P, Forster A. Information provision for stroke survivors and their carers. *Cochrane Database Syst Rev*. 2021;11:Cd001919.
126. Eames S, Hoffmann T, Worrall L, Read S, Wong A. Randomised controlled trial of an education and support package for stroke patients and their carers. *BMJ Open*. 2013;3
127. Patchwood E, Woodward-Nutt K, Rhodes SA, Batistatou E, Camacho E, Knowles S, et al. Organising support for carers of stroke survivors (oscarss): A cluster randomised controlled trial with economic evaluation. *BMJ Open*. 2021;11:e038777.
128. Kalra L, Evans A, Perez I, Melbourn A, Patel A, Knapp M, et al. Training carers of stroke patients: Randomised controlled trial. *BMJ*. 2004;328:1099.
129. Forster A, Dickerson J, Young J, Patel A, Kalra L, Nixon J, et al. A structured training programme for caregivers of inpatients after stroke (tracs): A cluster randomised controlled trial and cost-effectiveness analysis. *Lancet*. 2013;382:2069-2076.
130. Benoit C, Lopez D, Loiseau M, Labreuche J, Kyheng M, Bourdain F, et al. Impact of a pre-discharge education session on stroke knowledge: A randomized trial. *J Stroke Cerebrovasc Dis*. 2020;29:105272.
131. Olaiya MT, Cadilhac DA, Kim J, Ung D, Nelson MR, Srikanth VK, et al. Effectiveness of an intervention to improve risk factor knowledge in patients with stroke: A randomized controlled trial. *Stroke*. 2017;48:1101-1103.

132. Gallacher K, Morrison D, Jani B, Macdonald S, May CR, Montori VM, et al. Uncovering treatment burden as a key concept for stroke care: A systematic review of qualitative research. *PLoS Med.* 2013;10:e1001473.
133. Olai L, Borgquist L, Svärdsudd K. Life situations and the care burden for stroke patients and their informal caregivers in a prospective cohort study. *Ups J Med Sci.* 2015;120:290-298.
134. Loh AZ, Tan JS, Zhang MW, Ho RC. The global prevalence of anxiety and depressive symptoms among caregivers of stroke survivors. *J Am Med Dir Assoc.* 2017;18:111-116.
135. Hayes J, Chapman P, Young LJ, Rittman M. The prevalence of injury for stroke caregivers and associated risk factors. *Top Stroke Rehabil.* 2009;16:300-307.
136. Ko JY, Aycock DM, Clark PC. A comparison of working versus nonworking family caregivers of stroke survivors. *J Neurosci Nurs.* 2007;39:217-225.
137. Rochette A, Desrosiers J, Bravo G, Tribble DS, Bourget A. Changes in participation level after spouse's first stroke and relationship to burden and depressive symptoms. *Cerebrovasc Dis.* 2007;24:255-260.
138. Cameron JI, Bastawrous M, Marsella A, Forde S, Smale L, Friedland J, et al. Stroke survivors', caregivers', and health care professionals' perspectives on the weekend pass to facilitate transition home. *J Rehabil Med.* 2014;46:858-863.
139. Cameron JI, Naglie G, Silver FL, Gignac MA. Stroke family caregivers' support needs change across the care continuum: A qualitative study using the timing it right framework. *Disabil Rehabil.* 2013;35:315-324.
140. Creasy KR, Lutz BJ, Young ME, Ford A, Martz C. The impact of interactions with providers on stroke caregivers' needs. *Rehabil Nurs.* 2013;38:88-98.
141. Smith LN, Lawrence M, Kerr SM, Langhorne P, Lees KR. Informal carers' experience of caring for stroke survivors. *J Adv Nurs.* 2004;46:235-244.
142. Huang V, Marais O, Mortenson WB, Nadeau J, Arsenault S, Field TS, et al. "I just kept asking and asking and there was nothing": Re-thinking community resources & supports for young adult stroke survivors. *Disabil Rehabil.* 2025;47:2877-2886.
143. Bakas T, McCarthy MJ, Miller EL. Systematic review of the evidence for stroke family caregiver and dyad interventions. *Stroke.* 2022;53:2093-2102.
144. Pucciarelli G, Lommi M, Magwood GS, Simeone S, Colaceci S, Vellone E, et al. Effectiveness of dyadic interventions to improve stroke patient-caregiver dyads' outcomes after discharge: A systematic review and meta-analysis study. *Eur J Cardiovasc Nurs.* 2021;20:14-33.
145. Wang Y, Tyagi S, Hoenig H, Lee KE, Venketasubramanian N, Menon E, et al. Burden of informal care in stroke survivors and its determinants: A prospective observational study in an asian setting. *BMC Public Health.* 2021;21:1945.

146. Saab A, Glass-Kaasta S, Young GB. Discharge destination from a rehabilitation unit after acute ischemic stroke. *Can J Neurol Sci.* 2019;46:209-215.
147. Burton JK, Ferguson EEC, Barugh AJ, Walesby KE, MacLulich AMJ, Shenkin SD, et al. Predicting discharge to institutional long-term care after stroke: A systematic review and metaanalysis. *J Am Geriatr Soc.* 2018;66:161-169.
148. Pereira S, Foley N, Salter K, McClure JA, Meyer M, Brown J, et al. Discharge destination of individuals with severe stroke undergoing rehabilitation: A predictive model. *Disabil Rehabil.* 2014;36:727-731.
149. Brodaty H, Altendorf A, Withall A, Sachdev PS. Mortality and institutionalization in early survivors of stroke: The effects of cognition, vascular mild cognitive impairment, and vascular dementia. *J Stroke Cerebrovasc Dis.* 2010;19:485-493.
150. Portelli R, Lowe D, Irwin P, Pearson M, Rudd AG. Institutionalization after stroke. *Clin Rehabil.* 2005;19:97-108.
151. Chuang KY, Wu SC, Yeh MC, Chen YH, Wu CL. Exploring the associations between long-term care and mortality rates among stroke patients. *J Nurs Res.* 2005;13:66-74.
152. Walsh T, Donnelly T, Carew S, C OC, R OR, Lyons D. Stroke unit care: Recurrence, mortality and institutionalisation rates-a four year follow-up study. *Ir J Med Sci.* 2008;177:135-139.
153. Sackley C, Pound K. Setting priorities for a discharge plan for stroke patients entering nursing home care. *Clin Rehabil.* 2002;16:859-866.
154. Sackley CM, Pound K. Stroke patients entering nursing home care: A content analysis of discharge letters. *Clin Rehabil.* 2002;16:736-740.
155. Brajković L, Godan A, Godan L. Quality of life after stroke in old age: Comparison of persons living in nursing home and those living in their own home. *Croat Med J.* 2009;50:182-188.
156. Fletcher-Smith JC, Walker MF, Cobley CS, Steultjens EM, Sackley CM. Occupational therapy for care home residents with stroke. *Cochrane Database Syst Rev.* 2013;2013:Cd010116.
157. Sackley CM, Walker MF, Burton CR, Watkins CL, Mant J, Roalfe AK, et al. An occupational therapy intervention for residents with stroke related disabilities in UK care homes (OTCH): Cluster randomised controlled trial. *BMJ.* 2015;350:h468.
158. Davila H, Ng W, Akosionu O, Thao MS, Skarphol T, Virnig BA, et al. Why men fare worse: A mixed-methods study examining gender differences in nursing home resident quality of life. *Gerontologist.* 2022;62:1347-1358.
159. Johnson PD, Ulrich A, Siv J, Taylor B, Tirschwell D, Creutzfeldt CJ. Planning after stroke survival: Advance care planning in the stroke clinic. *J Am Heart Assoc.* 2019;8:e011317.

160. Skolarus LE, Lin CC, Springer MV, Burke JF. Advance care planning among stroke survivors in the united states. *Neurology*. 2020;95:874-876.
161. Green T, Gandhi S, Kleissen T, Simon J, Raffin-Bouchal S, Ryckborst K. Advance care planning in stroke: Influence of time on engagement in the process. *Patient Prefer Adherence*. 2014;8:119-126.
162. Sudore RL, Schillinger D, Katen MT, Shi Y, Boscardin WJ, Osua S, et al. Engaging diverse english- and spanish-speaking older adults in advance care planning: The prepare randomized clinical trial. *JAMA Intern Med*. 2018;178:1616-1625.
163. Detering KM, Hancock AD, Reade MC, Silvester W. The impact of advance care planning on end of life care in elderly patients: Randomised controlled trial. *BMJ*. 2010;340:c1345.
164. Kirchhoff KT, Hammes BJ, Kehl KA, Briggs LA, Brown RL. Effect of a disease-specific advance care planning intervention on end-of-life care. *J Am Geriatr Soc*. 2012;60:946-950.
165. Malhotra C, Shafiq M, Batcagan-Abueg APM. What is the evidence for efficacy of advance care planning in improving patient outcomes? A systematic review of randomised controlled trials. *BMJ Open*. 2022;12:e060201.
166. Teixeira AA, Hanvey L, Tayler C, Barwich D, Baxter S, Heyland DK. What do canadians think of advanced care planning? Findings from an online opinion poll. *BMJ Support Palliat Care*. 2015;5:40-47.
167. Henderson JD, Boyle A, Herx L, Alexiadis A, Barwich D, Connidis S, et al. Staffing a specialist palliative care service, a team-based approach: Expert consensus white paper. *J Palliat Med*. 2019;22:1318-1323.
168. Government of Canada. Canada's Medical Assistance in Dying (MAiD) law. 2024. Available at: <https://www.justice.gc.ca/eng/cj-jp/ad-am/bk-di.html>. (Accessed July 20, 2025)
169. Wang W, Rudd AG, Wang Y, Curcin V, Wolfe CD, Peek N, et al. Risk prediction of 30-day mortality after stroke using machine learning: A nationwide registry-based cohort study. *BMC Neurol*. 2022;22:195.
170. Burton CR, Payne S, Addington-Hall J, Jones A. The palliative care needs of acute stroke patients: A prospective study of hospital admissions. *Age Ageing*. 2010;39:554-559.
171. Holloway RG, Ladwig S, Robb J, Kelly A, Nielsen E, Quill TE. Palliative care consultations in hospitalized stroke patients. *J Palliat Med*. 2010;13:407-412.
172. Reinink H, Geurts M, Melis-Riemens C, Hollander A, Kappelle J, van der Worp B. Quality of dying after acute stroke. *Eur Stroke J*. 2021;6:268-275.
173. Eriksson H, Milberg A, Hjelm K, Friedrichsen M. End of life care for patients dying of stroke: A comparative registry study of stroke and cancer. *PLoS One*. 2016;11:e0147694.

174. Chan RJ, Webster J, Bowers A. End-of-life care pathways for improving outcomes in caring for the dying. *Cochrane Database Syst Rev*. 2016;2:Cd008006.
175. Cowey E, Schichtel M, Cheyne JD, Tweedie L, Lehman R, Melifonwu R, et al. Palliative care after stroke: A review. *Int J Stroke*. 2021;16:632-639.
176. San Luis CO, Staff I, Fortunato GJ, McCullough LD. Dysphagia as a predictor of outcome and transition to palliative care among middle cerebral artery ischemic stroke patients. *BMC Palliat Care*. 2013;12:21.
177. Gott M, Gardiner C, Ryan T, Parker C, Noble B, Ingleton C. Prevalence and predictors of transition to a palliative care approach among hospital inpatients in England. *J Palliat Care*. 2013;29:147-153.
178. Alonso A, Ebert AD, Dörr D, Buchheidt D, Hennerici MG, Szabo K. End-of-life decisions in acute stroke patients: An observational cohort study. *BMC Palliat Care*. 2016;15:38.
179. Joundi RA, Smith EE, Yu AYZ, Rashid M, Fang J, Kapral MK. Age-specific and sex-specific trends in life-sustaining care after acute stroke. *J Am Heart Assoc*. 2021;10:e021499.
180. Gott M, Morgan T, Williams L. Gender and palliative care: A call to arms. *Palliat Care Soc Pract*. 2020;14:2632352420957997.
181. Singh T, Peters SR, Tirschwell DL, Creutzfeldt CJ. Palliative care for hospitalized patients with stroke: Results from the 2010 to 2012 National Inpatient Sample. *Stroke*. 2017;48:2534-2540.